



ANGIOGRAPHIC CATHETER



Angiographic Balloon Catheter

Series 200



Product Code	French Size	Introducer Size Recom'd	Useable Length	Catheter Body Material	Side Holes	Maximum Inflation Capacity	Injection Flow Rate	Max. Injection Pressure
242-50P	4 Fr.	5 Fr.	50 cm	PUR	0.5mm	0.5 cc	7 cc / sec.	350 PSIG
242-80P	4 Fr.	5 Fr.	80 cm	PUR	0.5mm	0.5 cc	7 cc / sec.	350 PSIG
242-110P	4 Fr.	5 Fr.	110 cm	PUR	0.5mm	0.5 cc	7 cc / sec.	350 PSIG
252-60P	5 Fr.	5 or 6 Fr.	60 cm	PUR	0.6 mm	0.75 cc	14 cc / sec.	500 PSIG
252-80P	5 Fr.	5 or 6 Fr.	80 cm	PUR	0.6 mm	0.75 cc	14 cc / sec.	500 PSIG
252-110P	5 Fr.	5 or 6 Fr.	110 cm	PUR	0.6 mm	1.0 cc	14 cc / sec.	500 PSIG
262-90P	6 Fr.	6 or 7 Fr.	90 cm	PUR	0.75 mm	1.25 cc	23 cc / sec.	500 PSIG
262-110P	6 Fr.	6 or 7 Fr.	110 cm	PUR	0.75 mm	1.25 cc	23 cc / sec.	500 PSIG
272-90P	7 Fr.	7 or 8 Fr.	90 cm	PUR	0.9mm	1.5 cc	30 cc / sec.	550 PSIG
272-110P	7 Fr.	7 or 8 Fr.	110 cm	PUR	0.9mm	1.5 cc	30 cc / sec.	550 PSIG

Description:

The Angiographic Balloon Catheter is made of extruded radiopaque polymeric tubing with two lumens in the body of the catheter. The inflation lumen at its distal end opens into a latex balloon which is attached to the tapered tip. The injection lumen terminates distally in multiple holes, situated in two rows on opposing sides of the catheter just proximal to the latex balloon.

Packaging:

Each catheter is packaged in a sterile peel-pack tray

Catheters Length Marking:

Each catheter has clear, easy to identify increment markings every 10 cm along catheter body.